

UDC 615.224

I.V. SAKHANDA, K.L. KOSYACHENKO, T.S. NEHODA

/O.O. Bohomolets National Medical University, Kyiv/

# Determination of the need for medicinal products of plant origin used for treating cardiovascular diseases

## Summary

Forecasting the need for cardiac medicines in general, and in medicinal products of plant origin (MP PO), in particular, is increasing as the population, life expectancy, under the influence of socio-demographic factors, and, most importantly, the increase in the number of elderly people (4). When solving problems facing public health in the field of drug provision of the population, a regular analysis of the pharmaceutical market and a forecast of the need for medicines in the context of the pharmacotherapeutic group that is being studied are necessary (1). An important stage in the choice of forecasting methods is the possibility of attracting the required number of indicators, which is a characteristic of the normative method, whose accessibility and simplicity make it possible to use it by specialists who do not have special mathematical training at the level of medical and pharmaceutical organizations. Prevention of diseases should be based on the implementation of government programs for prevention and promotion of health. This will improve and actively use methods of early detection of social and economic factors, which is a threat of development of diseases of the cardiovascular system.

**Keywords:** medicinal products of plant origin, cardiovascular diseases, marketing research, demand, demand forecasting.

**Introduction.** At the stages of marketing research, the study of the assortment, the solvency of consumers should be conducted with the obligatory consideration of regional peculiarities, the real financial possibilities of the medical and preventive institution and the solvency of the population, as well as factors influencing the choice of the medicinal product by medical, pharmaceutical workers and the population [2].

In the pharmaceutical market of Ukraine, MP PO dominated by drugs domestically, which significantly reduces the cost of therapy and makes many drugs affordable for the socially unprotected strata of the population [3].

## Materials and methods

A characteristic feature of the task of determining the need for highly effective medicinal products of plant origin is the presence of unpredictable factors affecting the complex system of formation and satisfaction of demand (the emergence of new medicines, different levels of doctors' awareness, educational work among the population, etc.) [5].

Taking into account the peculiarities of the current social and economic situation, the inadequacy of financial drug assistance at the expense of the state budget and the need to address the problems of improving the organization of medicinal care for patients with cardiovascular pathology, we have forecasted the long-term demand for medicinal products of plant origin.

## Results and discussion

The problem of reliability of providing consumers of medicinal products of plant origin directly depends on the creation of an optimal stock of these medicines. WHO recommends the following approach: «The goal is to ensure that the size of the supply meets the

demand, while the stock of medicines should be minimal, but to ensure that they are available in the event of an unexpected delay in delivery» [6].

An important stage in the choice of forecasting methods is the possibility of attracting the required number of indicators, which is a characteristic of the normative method, whose accessibility and simplicity make it possible to use it by specialists who do not have special mathematical training at the level of medical and pharmaceutical organizations.

The basis of this method is calculated norms of consumption of drugs, which reflect the characteristic properties and regularities of the normalized object. Calculation of the rate of consumption of drugs is based on the study of morbidity by nosological forms and the optimal set of drugs for the course of treatment, as well as the quantitative consumption of these drugs while being prescribed to the patient.

The advantage of this method is the ability to take into account changes in factors that affect the need. The most difficult problem of using the normative method is the considerable laboriousness of the development of norms, which requires the processing and analysis of large amounts of information.

An algorithm for predicting the need for medicinal products of plant origin is shown in Figure 1.

The application of the normative method requires the calculation of the following indicators:

- forecast of the number of medicinal products of plant origin users;
- consumption intensity factors for each drug;
- consumption of each medicinal product for one year of use by one consumer.

Calculation of the need for drugs for the treatment of *i*-th nosology in the hospital in physical terms (in packages) for both outpatient and inpatient patients was carried out according to the formula:

$$N_{ij} = X_{ij} \text{ fact} * l_{ij} * E_i \quad (1),$$

where:  $N_{ij}$  – the need for the  $j$ -th drug in the  $i$ -th nosology;  
 $i$  – disease nosology;  
 $j$  – specific drug;  
 $X_{ij}$  – an approximate norm of the need of  $j$ -drug for the course of treatment of one patient;  
 $l_{ij}$  – intensity factor of the  $j$ -drug requirement;  
 $E_i$  – expected number of patients in the  $i$ -clinical group.

According to the proposed methodology, we determined the long-term need in 2011-2017 years in medicinal products of plant origin. The consumption of this group of drugs is predictable, since most drugs are prescription drugs. This fact makes it possible to accurately take into account the number of consumers in polyclinics and hospital departments. The need is calculated separately for each drug name in both quantitative and summary terms. In sum, the need for a drug for a course of treatment for one patient was determined by the formula

$$S = N_{ij} * C \quad (2),$$

where:  $N_{ij}$  – the need for medicinal product in quantitative terms;  
 $C$  – the cost of medicinal product.

According to the scheme for determining the need for medicinal products of plant origin, it is necessary to know:


- the optimal assortment of medicinal products of plant origin;
- the amount of medicinal products of plant origin for one patient;
- the intensity of consumption of the medicinal product;
- the planned number of patients.

At the first stage, the intensity of consumption of drugs was calculated.

Calculation of the intensity of consumption, which was conducted on the basis of the study of letters of appointment in the history of the disease of cardiac patients of the cardiac dispensary. The intensity factor of consumption shows how often each specific medication is prescribed, in how many percentages of cases it is used, which part of consumers in total use this medication, and is calculated by the formula:

$$l_{ij} = \frac{n_i}{N} \quad (3),$$

where:  $l_{ij}$  - intensity factor of medicinal products of plant origin consumption;  
 $n$  – the number of consumers who use the drug in this sample;  
 $N$  – the total number of consumers in the sample  
 $(N=420 \text{ people})$ .



**Fig. 1.** An algorithm for predicting the need for medicinal products of plant origin

The results of the calculation of the intensity factors are given in Table 1. Then based on the analysis of the patient’s case histories, drug intake standards were determined ( $X_{ij}$  fact).

Recommendations for the obtained values  $X_{ij}$  fact as indicative of standards initially held their statistical processing on the coefficient of variation, which confirmed that the value of the average actual flow has little variation.

So the obtained values of  $X_{ij}$  fact can be used as an approximate standard and used to determine the need for medicines in the treatment of cardiovascular diseases. The expected number of patients was determined by the method of average geometric parameters according to statistical data for the period 2011-2016:

$$T_2 = \frac{B_3}{B_2} \quad (4)$$

$$T_{cp} = n \sqrt{(T_1 * T_2 * T_3 * T_4 * T_5)} \quad (5),$$

where:  $B_1, B_2...B_5$  - the number of patients with cardiovascular diseases for the first, second ... the 5th considered years in this hospital;

$T_{cp}$  (middle) – average growth rate.

**Table 1.** Analysis of the frequency of medicinal products of plant origin for the treatment of cardiovascular disease (2006-2016)

Name of medicinal products of plant origin	The average price of the package(\$)	The number of appointments	Number of packages for the course of treatment (X)	n	κ
Digoxin tablets 0,25 mg №30	8-40	323	1	156	0,37
Digoxin, solution for injection 0,25% - 1 ml №10	28-20	20	1	71	0,17
Corglycon, solution for injection 0,06% - 1 ml №10	21-20	335	1	53	0,13
Platyphyllini hydrotartras 0,2% - 1 ml №10	28-50	500	1	40	0,48
Papaverine hydrochloride 2% - 2 ml №10	20-20	1303	1	200	0,22
Strophantine D	22-20	200	1	32	0,08
Strophantine	21-20	10	1	15	0,04
Allapinin	356-00	144	1	64	0,15

The expected (planned) number of patients is determined by the formula:

$$B_i = B_3 * T_{\text{middle}} \quad (6),$$

where:  $B_i$  - expected number of cardiac patients;  
 $B_3$  - number of patients in the pre-planning period;  
 $T_{\text{mid}}$  - average growth rate.

According to statistical data, the number of patients treated in the planned hospitals for the period 2006-2016 was:

- 2011 year - 2630 people;
- 2012 year - 2560 people;
- 2013 year - 2631 people;
- 2014 year - 2664 people;
- 2015 year - 2690 people;
- 2016 year - 2720 people.

From 2011 to 2016, the number of patients treated was steadily increasing.

The increase in morbidity, which occurs, we associate with the increase in the proportion of older age groups in the total population of the country. We calculated the expected number of patients with this pathology for city hospitals.

Next the calculation of the need for each medicinal products of plant origin over the period 2015-2017 was carried out. The calculation took into account the period of treatment of 1 patient - 21 days. The results of the calculation are shown in Table 2.

## Conclusions

Economic evaluation, together with studies of clinical effectiveness, allows a more rational allocation of available resources. Unfortunately, it should be noted that the low demand for pharmacoeconomic analysis results does not yet allow the full redistribution of the financial flow of budget funds to the full extent [5-8]. In this regard, special attention should be paid to the profitability of the drug from the «cost-minimization» position, which should be evaluated in a comprehensive manner, taking into account the cost of inpatient and outpatient care.

The system of measures to improve the organization and improve the quality of therapeutic care for the population should include

organizational and methodological issues of providing and managing the quality of medical care and drug provision.

The most important place in reforming the industry should be allocated to improving the outpatient and polyclinic service are increasing the efficiency of using material and human resources, introducing new progressive forms of work into practice.

The solution of these problems is determined by the wide introduction of fairly simple and massive measures to improve the living environment, the implementation of preventive measures to prevent the realization of the risk of developing cardiovascular diseases, giving the maximum results at minimum costs.

In the present conditions, it is important to standardize the structure, types and volumes of treatment and rehabilitation activities, technologies and results, and the functioning of the system of medical and social care institutions for patients. Prevention of diseases should be based on the implementation of government programs for prevention and promotion of health. This will improve and actively use methods of early detection of social and economic factors, which is a threat of development of diseases of the cardiovascular system.

**Prospects for further scientific research.** Based on the studies, methodical recommendations have been developed that contribute to improving the quality of treatment for patients suffering from cardiovascular diseases.

**Declaration on the absence of a conflict of interest.** There are no conflicts of interest in this article.

## References

1. Avksenteva, E.M. (2013). Scientific substantiation of rational pharmacotherapy .
2. Avksenteva, M.V. (2015). Economic evaluation of the effectiveness of drug therapy (pharmacoeconomic analysis). M: Niudyamed.
3. Assortment and assortment policy of the pharmacy institution . (2015). Piatyhorsk.
4. Sakhanda I.V., Nehoda T. S., Siatynia M.L. Metodichni pidkhody do vyznachennia potreby v likarskykh zasobakh roslynnoho pokhodzhennia, shcho zastosovuiutsia dlia likuvannia sertsevo-sudynnykh zakhvoriuvan [Methodical approaches to the determination of the need for herbal medicines used to treat cardiovascular diseases]. Mizhnarodna naukovo-praktychna konferentsiia «Aktualni pytannia suchasnoi medytsyny». Lviv, 2015, pp. 42-45.
5. Nehoda, T.S. (2016). The practice of using antihypertensive drugs. Zbirnyk naukovykh prats spivrobotnykiv NMAPO imeni P.L. Shupyka, (26), 236-241.

**Table 2.** Calculation of hospital needs in medicinal products of plant origin which used to treat patients with cardiovascular pathology

Name of medicinal products of plant origin	Forecast needs for years					
	2015		2016		2017	
	absolute unit	sum	absolute unit	sum	absolute unit	sum
Digoxin tablets 0,25 mg №30	333	2797-20	343	2881-20	353	2965-20
Digoxin, solution for injection 0,25% - 1 ml №10	21	592-20	22	620-40	23	648-60
Corglycon, solution for injection 0,06% - 1 ml №10	345	7314-00	355	7526-00	366	7759-20
Platyphyllini hydrotartras 0,2% - 1 ml №10	515	14677-50	530	15105-00	546	15561-00
Papaverine hydrochloride 2% - 2 ml №10	1342	26840-00	1382	27640-00	1423	28460-00
Strophantine D	2060	45732-00	2122	47108-40	2186	48529-20
Strophantine	21	233-20	12	254-40	13	275-60
Allapinin	149	54385-00	154	56210-00	159	58035-00
Together:		152570-90		157345-40		162233-80

6. Nehoda T.S., Sahanda I.V. (2017). The concept of marketing planning. Międzynarodowa konferencja naukowo-praktyczna «Innowacyjne technologie w medycynie: doświadczenia Polski i Ukrainy». Lublin, Polska, 2017.
7. Nehoda T.S., Sahanda I.V. (2017). Measures marketing plan activities for branch

- offices of pharmacies (for phyto pharmacy departments). III International Scientific and Practical Conference «Topical researches of the World Science». Duda, UAE, 2017.
8. Sakhanda, I.V., Siatynia, M.L., Nehoda, T.S. (2017). The study of antihypertensive action of combined drugs. Profesiine vydannia «Retsept», 32-36.

## Резюме

### Визначення потреби в лікарських препаратах рослинного походження, які використовують для лікування серцево-судинних захворювань

I.V. Саханда, К.Л. Косяченко, Т.С. Негода

Національний медичний університет імені О.О. Богомольця, Київ

Прогнозування потреби в кардіологічних лікарських препаратах загалом і в лікарських препаратах рослинного походження (ЛП РП) зокрема зростає у міру збільшення численності населення, тривалості життя, під впливом соціально-демографічних чинників, а головне – зі збільшенням числа літніх людей [4]. При вирішенні завдань, що стоять перед охороною здоров'я в галузі лікарського забезпечення населення, потрібний регулярний аналіз фармацевтичного ринку і прогноз потреби в лікарських засобах у розрізі фармакотерапевтичної групи, що вивчається [1]. Важливий етап при виборі методів прогнозування – це можливість залучення необхідного числа показників, що є характеристикою нормативного методу, доступність і простота якого дозволяють використання його фахівцями, що не мають спеціальної математичної підготовки на рівні медичних і фармацевтичних організацій. Профілактика захворювань повинна ґрунтуватися на здійсненні державних програм профілактики і зміцнення здоров'я. Це дозволить удосконалювати і активно використати методи раннього виявлення соціальних і економічних чинників, що є загрозою розвитку захворювань серцево-судинної системи.

**Ключові слова:** лікарські препарати рослинного походження, серцево-судинні захворювання, маркетингові дослідження, потреба, прогнозування

## Резюме

### Определение потребности в лекарственных препаратах растительного происхождения, используемых для лечения сердечно-сосудистых заболеваний

I.V. Саханда, К.Л. Косяченко, Т.С. Негода

Национальный медицинский университет имени А.А. Богомольца, Киев

Прогнозирование потребности в кардиологических лекарственных препаратах в целом и в лекарственных препаратах растительного происхождения (ЛП РП) в частности, растет по мере увеличения численности населения, продолжительности жизни, под влиянием социально-демографических факторов, а главное – с увеличением числа пожилых людей [4]. При решении задач, стоящих перед здравоохранением в области лекарственного обеспечения населения, необходим регулярный анализ фармацевтического рынка и прогноз потребности в лекарственных средствах в разрезе фармакотерапевтической группы, которая изучается [1]. Важный этап при выборе методов прогнозирования – это возможность привлечения необходимого числа показателей, что является характеристикой нормативного метода, доступность и простота которого позволяют использовать его специалистам, не имеющим специальной математической подготовки на уровне медицинских и фармацевтических организаций. Профилактика заболеваний должна основываться на осуществлении государственных программ профилактики и укрепления здоровья. Это позволит совершенствовать и активно использовать методы раннего выявления социальных и экономических факторов, которые являются угрозой развития заболеваний сердечно-сосудистой системы.

**Ключевые слова:** лекарственные препараты растительного происхождения, сердечно-сосудистые заболевания, маркетинговые исследования, потребность, прогнозирование спроса